
Gamma Irradiation of a Galactosidase in the Absence or Presence of



5.4 kGy/hr, 45kGy 1.7 kGy/hr, 45kGy 0 kGy

5.4 kGy/hr, 45kGy 1.7 kGy/hr, 45kGy 0 kGy

5.4 kGy/hr, 45kGy 1.7 kGy/hr, 45kGy 0 kGy

Ascorbate

5.4 kGy/hr, 45kGy 1.7 kGy/hr, 45kGy 0 kGy

5.4 kGy/hr, 45kGy 1.7 kGy/hr, 45kGy 0 kGy

5.4 kGy/hr, 45kGy 1.7 kGy/hr, 45kGy 0 kGy



Gamma Irradiation of a Galactosidase In the Presence or Absence of Ascorbate Alone or in Combination with Gly-Gly




FIG. 2



Gamma Irradiation of a Lyophilized Galactosidase in the Absence and Presence of 100 mM Ascorbate




FIG. 3

Gamma Irradiation of a Lyophilized Galactosidase In the Absence of Stabilizers

Reduced and Non-Reduced, 10%





FIG. 4A

In the Presence of 200mM Ascorbate and 200mM Gly-Gamma Irradiation of a Lyophilized Galactosidase

Reduced and Non-Reduced, 10%



In the Presence of 200mM Ascorbate and 200mM Gly-Gly Gamma Irradiation of a Lyophilized Galactosidase




FIG. 4C